EXPLORER NX



The perfect balance of form & function Explorer NX Turn-Tilt, Balcony Windows & Doors.
Offering superior security, noise reduction &
weatherproofing, Explorer NX is the ideal choice when
creating beautiful & functional living spaces.





Explorer NX Balcony



- for the Architect

FEATURES & BENEFITS

- Balcony Turn-tilt double sash windows & doors provide world class weather performance, security and ventilation.
- The main benefit of Balcony Windows and Doors is the absence of the center mullion when fully open resulting in un-obstructed views.
- The Tilt function provides passive ventilation when the rest of the door is closed, but with a measure of weather proofing intact.
- Very low air and noise infiltration is achieved using a center seal.
- High quality ROTO NX hardware provides for long service life with 10 Year Warranty on functionality*

TYPICAL AREAS OF USE

- NX Balcony is used domestically, in guest houses, offices & hotels.
- Floor-to-ceiling or integrated into larger screens or facades.



Black and Silver Grey colours are available from stock.
 Other colours available on min. order qty.




Balcony Turn-Tilt Inside opening

Double Sash


SPECIFICATIONS

- 2500mm max Sash height.
- 130kg max. Sash weight
- 32,5mm max. Glazing thickness.
- SANAS accredited A4 2500pa test pass.
- 5 to 10 point locking for high Security.
- Variable handle height.
- Inside opening sashes allow for easy maintenance & cleaning.

PRODUCT TYPES




SINGLE SASH TURN-TILT up to 1400 x 2500mm



RIGHT

DOUBLE SASH BALCONY TURN-TILTup to 2100 x 2500mm





RIGHT


^{*} SUBJECT TO COMPLIANCE WITH ALL ROTO FRANK & HBS GUIDELINES FOR BUILD, INSTALLATION & USAGE OF EXPLORER NX PRODUCTS.



Explorer NX Balcony



- for the Fabricator



FEATURES & BENEFITS


- NX is much easier to get right than previous
 Turn-tilt systems due to the adjustablility and quality of ROTO hardware.
- Pneumatic punching of the NX Sash profiles allows for consistent joint assembly and overall product finish.
- Common NX hardware for both Single sash and Double sash products simplifies the learning curve.

TESTING & PERFORMANCE

- Tested to SANS613:2011 in an accredited ISO17025 test lab.
- A4 pass from minimum size up to 1800mm height.









HEX170 pnuematic tool

EXPLORER NX IN GINERI QUICK QUOTE

As the fabricator you have access to -

- Quick building and costing.
- Cutting List, Quotation & Material Order.
- Full NX hardware & accessory list is provided.
- · Shop drawings in CAD format as usual.





REASONS WHY ARCHITECTS, FABRICATORS AND HOME OWNERS LOVE NX BALCONY

1. EUROPEAN STYLE FENESTRATION

Choose our groundbreaking NX Balcony system for secure, high quality windows and doors. Compliance with SANS613 A4 performance class allows it to be specified and installed in almost all occurring conditions in South Africa and regionally.

2. ENERGY EFFICIENT & DURABLE PRODUCTS

Glazing up to 32.5mm thickness allows for low U-values which promotes energy savings. Our profiles combined with classic German engineered hardware allows for effortless and long lasting products with superior performance.

3. QUICKER FABRICATION & FLEXIBLE INSTALLATION

Quality assured precision punching, makes machining and fabrication efficient, faster and more cost effective.

This internally glazed system can be installed from inside or outside. Glazing and Maintenance does not require scaffolding.

4. LOCALLY STOCKED & SUPPORTED

All NX Balcony profiles and hardware are available off the shelf, so no extended lead times. Place the order, choose the colour and you will be fabricating and installing in no time.

5. HIGH SECURITY

Multi-point locking with up to 10 lock points per sash allows for extra security.

